
## SAFETY MINUTE

FEBRUARY 25<sup>TH</sup>, 2022
MISSISSIPPI STATE UNIVERSITY
HAND CHEMICAL LAB
BY:ALAN CECIL



RETURN TO ISSUE

EDITORIAL NEXT>

#### Safety First: A Recent Case of a Dichloromethane Injection Injury

Sébastien Vidal

156843

Altmetric

LEARN ABOUT THESE METRICS

Citations

(2)







ACS Central Science

-25

∠ PDF (4 MB)





Supporting Info (1) »

SUBJECTS: Anatomy, Students, Safety, ~

### FISCHER SDS FIRST AID MEASURES

Methylene chloride Revision Date 24-Dec-2021

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression: Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal: Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central

nervous system

Notes to Physician Treat symptomatically

## THE HAZARDS OF DCM INJECTION







I year after



- Never point sharp objects towards yourself
- All accidental injections should always be treated seriously
- Injection HAZARDS are NOT reported in SDS

## ADDITIONAL RESOURCE

- Safe Handling of Cannulas and Needles in Chemistry Laboratories ACS Chem.
   Health Saf. Tilak Chandra
  - https://doi.org/10.1021/acs.chas.1c00069

# Thank you for your attention! Safety First - WIDSIO