

Miguel A. Muñoz-Hernandez

Associate Professor
Department of Chemistry, Mississippi State University
310 President's Circle, Room 1115, Mississippi State, Mississippi, 39762
W: (662) 325-7612
mmunoz@chemistry.msstate.edu
ORCID ID: <https://orcid.org/0000-0003-3030-6249>
Scopus Author ID: 6603863677

EDUCATION

National Autonomous University of Mexico

Ph.D.(Honors), Chemistry March 1997

Dissertation Title: "Transannular Interactions in Dithiophosphines and Dithiophosphonates of Metallocanes of As(III) and Sb(III)"

Supervisor: Raymundo Cea-Olivares

National Autonomous University of Mexico

B.S., Chemistry November 1992

Dissertation Title: "Potassium Tetraphenylimidodiphosphinate Complex of 1,4,7,10,13,16-Hexaoxacyclooctadecane. An Inorganic (Carbon-Free) Chelate Ring"

Supervisor: Raymundo Cea-Olivares

EMPLOYMENT

Mississippi State University, Mississippi State, MS

Associate Professor August 2019-present

Autonomous State University of Morelos, Cuernavaca, Morelos, Mexico

Adjunct Professor August 2019-present

Professor October 1999-August 2019

Paul Sabatier University

Visiting Professor July 2011-February 2012

University of Kentucky

Postdoctoral fellow August 1998-October 1999

Supervisor: David A. Atwood

University of North Dakota

Postdoctoral fellow April 1997-August 1998

Supervisor: David A. Atwood

University of Victoria

Research Assistant

March 1996-September 1996

Supervisor: Stephen Stobart

PUBLICATIONS 86, Citations more than 1200, h-index 21

1. Trans-Hydroboration–oxidation products in Δ^5 -steroids via a hydroboration-retrohydroboration mechanism, J. C. Hilario-Martínez, F. Murillo, J. García-Méndez, D. Eugenia, J. Sandoval-Ramírez, M. A. Muñoz-Hernández, S. Bernès, L. Kürti, F. Duarte, G. Merino, M. A. Fernández-Herrera, *Chem. Sci.*, **2020**, DOI: 10.1039/D0SC01701A.
2. Cationic aluminum complexes supported on tridentate O,N,O platform and activity studies in the Ring Opening Polymerization of ϵ -caprolactone, Y. K. Sánchez-Romero, N. Lopez, C. Scott, M.-Á. Muñoz-Hernández, *submitted*.
3. Zinc(II) and cadmium(II) complexes, $[M(^iPr_2P(X)NC(Y)NC_5H_{10-\kappa^2-X,Y})_2]$ (X and Y = O, S), as single source precursors for metal sulfide thin films, V. Flores-Romero, O. L. García-Guzmán, A. Aguirre-Bautista, I. D. Rojas-Montoya, V. García-Montalvo, M. Rivera, O. Jiménez-Sandoval, M. A. Muñoz-Hernández, S. Hernández-Ortega, *New J. Chem.*, **44**, 10367-10379, **2020**, DOI: 10.1039/d0nj01465f.
4. Bi- and Tridentate Stannyphosphines and Their Coordination to Low-Valent Platinum, J. J. Salazar-Díaz, M. A. Muñoz-Hernández, E. Rufino-Felipe, M. Flores-Alamo, A. Ramírez-Solís. V. Montiel-Palma, *Dalton Trans.*, **48**, 15896-15905, **2019**, DOI: 10.1039/c9dt03317c.
5. Exploiting the Versatility of Phosphinobenzylsilanes for the Stabilization of 14-Electron Rhodium(III) and Iridium(III) Complexes, M. V. Corona-González, J. Zamora-Moreno, M. A. Muñoz-Hernández, L. Vendier, S. Sabo-Etienne, V. Montiel-Palma, *Eur. J. Inorg. Chem.*, 1854–1858, **2019**, DOI: 10.1002/ejic.201900107.
6. Tetranuclear Complexes of Group 12 and 13 Supported on a Polynucleating Ligand and Activity Studies in the ROP of Rac-Lactide, D.-J. Caballero-Jiménez, O.-J. García-de-Jesús, N. Lopez, Y.-G. Reyes-Ortega, M.-Á. Muñoz-Hernández, *Inorg. Chim. Acta*, **489**, 120–125, **2019**, DOI: 10.1016/j.ica.2019.02.007.
7. Modulation of an Anagostic Interaction in SiPSi-Type Pincer Platinum Complexes, J. Zamora-Moreno, F. Murillo, M. Á. Muñoz-Hernández, M. Grellier, S. Pan, S. Jalife, G. Merino, S. Sabo-Etienne, V. Montiel-Palma, *Organometallics*, **37**, 3581-3587, **2018**, DOI: 10.1021/acs.organomet.8b00269.
8. Synthesis and Structural Characterization of Lithium, Sodium and Potassium Complexes Supported by a Tridentate Amino-Bisphenolate Ligand, C. J. Durango-García, E. Rufino-Felipe, M. López-Cardoso, M. Á. Muñoz-Hernández, V. Montiel-Palma, *J. Mol. Struct.*, **1164**, 248-258, **2018**, DOI: 10.1016/j.molstruc.2018.03.079.
9. Isomerization and Luminescent Properties of Schiff Base Aluminum Complexes Containing 1H-pyrrole-2-carbaldehyde Moieties, F. A. Vengoechea-Gómez, M.-Á. Velázquez-Carmona, J. Barroso, G. Merino, M. Á. Muñoz-Hernández, *Inorg. Chim. Acta*, **482**, 535-541, **2018**, DOI:10.1016/j.ica.2018.06.048.
10. Ring-opening Polymerization of *rac*-Lactide by Al(III) and Zn(II) Complexes Incorporating Schiff Base Ligands Derived from Pyrrole-2-carboxaldehyde, E. Rufino-Felipe, N. Lopez, F. A.

- Vengoechea-Gómez, L.-G. Guerrero-Ramírez, and M.-Á. Muñoz-Hernández, *Applied Organomet. Chem.*, 32:e4315, **2018**. DOI: 10.1002/aoc.4315.
11. Lithium Complexes Derived of Benzylphosphines: Synthesis, Characterization and Evaluation in the ROP of *rac*-Lactide and ϵ -Caprolactone, Rufino-Felipe, E.; Muñoz-Hernández, M. A., Montiel-Palma, V., *Molecules*, 23, 82, **2018**, DOI: 10.3390/molecules23010082.
 12. Alkyl Al, Ga and Zn Complexes Chelated by Mono-*O*-thiocarbamate-phenol Ligands: Synthesis, Characterization and Activity as Diels-Alder Catalysts, P.-de-la Cruz-Burelo, J. Caballero-Jiménez, V. Montiel-Palma, M.-Á. Muñoz, *Inorg. Chim. Acta*, 473, 236-244, **2018**, DOI: 10.1016/j.ica.2017.12.031.
 13. Stabilization of *Trans* Disilyl Coordination at Square Planar Platinum Complexes, C. A. Cuevas-Chávez, J. Zamora-Moreno, M. A. Muñoz-Hernández, C. Bijani, S. Sabo-Etienne, V. Montiel-Palma, *Organometallics*, 375, 720-728, **2017**, DOI: 10.1021/acs.organomet.7b00566.
 14. A Family of Rhodium and Iridium Complexes with Semirigid Benzylsilyl Phosphines: From Bidentate to Tetradentate Coordination Modes, M. V. Corona-González, J. Zamora-Moreno, C. A. Cuevas-Chávez, E. Rufino-Felipe, E. Mothes-Martin, Y. Coppel, M. A. Muñoz-Hernández, L. Vendier, M. Flores-Alamo, M. Grellier, S. Sabo-Etienne, V. Montiel-Palma, *Dalton Trans.*, 46, 8827–8838, **2017**, DOI: 10.1039/C7DT00727B.
 15. Regioselective Spirostan E-Ring Opening for the Synthesis of Dihydropyran Steroidal Frameworks, J. C. Hilario-Martínez, R. Zeferino-Díaz, M. A. Muñoz-Hernández, M. G. Hernández-Linares, J. L. Cabellos, G. Merino, J. Sandoval-Ramírez, Z. Jin, M. A. Fernández-Herrera, *Org. Lett.* 18, 1772–1775, **2016**, DOI: 10.1021/acs.orglett.6b00492.
 16. Novel Hexanuclear and Octanuclear Zinc Alkyl Cages Derived from a Bis-Oxamidate Ligand, E. Rufino-Felipe, J. Caballero-Jiménez, L.-G. Guerrero-Ramírez, M. Flores-Álamo, M.-Á. Muñoz-Hernández, *Inorg. Chem. Commun.*, 63, 107-110, **2016**, DOI: 10.1016/j.inoche.2015.12.001.
 17. 1,3-Alternate Conformation of a Gallium Calix[4]arene Based on a Benzimidazolyl Ligand, N. Lopez, E. Rufino-Felipe, M.-Á. Muñoz-Hernández, *Inorg. Chem. Commun.*, 64, 50-52, **2016**, DOI: 10.1016/j.inoche.2015.12.014.
 18. Zinc β -enaminoketonate Complexes: Synthesis, Characterization and ROP of *rac*-Lactide, Na. Crespo-Velasco, L.-G. Guerrero-Ramírez, M. Flores-Alamo, M.-Á. Muñoz-Hernández, *Main Group Chem.*, 14, 141–157, **2015**, DOI: 10.3233/MGC-150165.
 19. Nature of Si-H Interactions in a Series of Ruthenium Silazane Complexes Using Multinuclear Solid-State NMR and Neutron Diffraction, K. A. Smart, M. Grellier, Y. Coppel, L. Vendier, S. A. Mason, S. C. Capelli, A. Abinati, V. Montiel-Palma, M. A. Muñoz-Hernández, S. Sabo-Etienne, *Inorg. Chem.*, 53, 1156-1165, **2014**, DOI: 10.1021/ic4027199.
 20. N-(Chalcogen)phosphorylated(chalcogen)ureas of Zinc and Cadmium(II): SSPs for Group 12–16 thin films, I. D. Rojas-Montoya, A. Santana-Silva, V. García-Montalvo, M. Á. Muñoz-Hernández, M. Rivera, *New J. Chem.*, 38, 4702-4710, **2014**, DOI: 10.1039/C4NJ00482E.
 21. Synthesis and Characterization of New Types of Aluminum and Gallium Complexes Stabilized by Bifunctional Ligands, F. A. Vengoechea-Gómez, S. A. Cortes-Llamas, M.-Á. Muñoz-Hernández, *Main Group Chem.*, 13, 271-281, **2014**, DOI: 10.3233/MGC-140140.
 22. Phosphinodi(benzylsilane) $\text{PhP}\{(\text{o-C}_6\text{H}_4\text{CH}_2)\text{SiMe}_2\text{H}\}_2$: a versatile "PSi₂H_x" pincer-type ligand at ruthenium, V. Montiel-Palma, M.A. Muñoz-Hernández, C.A. Cuevas-Chavez, L. Vendier, M. Grellier, S. Sabo-Etienne, *Inorg. Chem.*, 52, 9798-9806, **2013**, DOI: 10.1021/ic400703r.
 23. Do planar tetracoordinate tin complexes really exist? E. Rufino-Felipe, E. Osorio, G. Merino, M.-A. Muñoz-Hernández, *Dalton Trans.*, 42, 11180-11185, **2013**, DOI: 10.1039/C3DT50943E.

24. Theoretical study of the agostic bond in $\text{Me}_2\text{Al}(\text{tBu}_2\text{pz})_2\text{Li}(\text{THF})$, M. Ho, M. Á. Velázquez-Carmona, M.-Á. Muñoz-Hernández, R. Hernández-Lamonedá, *Int. J. Quantum Chem.* 112, 3630-3636, **2012**, DOI: 10.1002/qua.24294; *Erratum*: 114, 239, **2014**.
25. Calix[4]arenes of aluminum and gallium with benzimidazolyl ligands: steric control of the conformation via substitution on the ligand, E. Rufino-Felipe, M. Á. Muñoz-Hernández, H. F. Saucedo-Azpeitia, S. A. Cortes-Llamas, *Inorg. Chem.*, 51, 12834-12840, **2012**, DOI: 10.1021/ic301718m.
26. Synthesis and characterization of aluminum complexes incorporating Schiff base ligands derived from pyrrole-2-carboxaldehyde, H. F. Saucedo-Azpeitia, S. A. Cortes-Llamas, F. A. Vengoechea-Gómez, E. Rufino-Felipe, N. T. Crespo-Velasco, M.-Á. Muñoz-Hernández, *Main Group Chem.*, 10, 127-140, **2011**, DOI:10.3233/MGC-2011-0043.
27. Steric control of conformation in self-assembly metallacalix[4]arenes derived from AlMe_3 or GaMe_3 with benzimidazolyl ligands, E. Rufino-Felipe, M.-Á. Muñoz-Hernández, *Chem. Commun.*, 47, 3210-3212, **2011**, DOI:10.1039/C0CC05438K.
28. On the nature of the transition metal-main group metal bond: Synthesis and theoretical calculations on iridium allyl complexes, C. J. Durango-García, J. O. C. Jiménez-Halla, M. López-Cardoso, V. Montiel-Palma, M. Á. Muñoz-Hernández, G. Merino, *Dalton Trans.*, 39, 10588-10589, **2010**, DOI: 10.1039/C0DT01071E.
29. Hexa-coordinated aluminum and gallium cations derived from indazole, Sara A. Cortes-Llamas, Z. García-Hernández, E. Rufino-Felipe, M. López-Cardoso, M. A. Muñoz-Hernández, *Inorg. Chim. Acta*, 363, 3959-3965, **2010**, DOI: 10.1016/j.ica.2010.07.071.
30. Reactivity of Zn(II), Mg(II) and Al(III) chlorides with a phosphinimine ligand: new tetrameric inverse crown ether structures, C. Valerio-Cárdenas, M. Á. Muñoz-Hernández, J. M. Grévy, *Dalton Trans.*, 39, 6441-6448, **2010**, DOI: 10.1039/B925580J.
31. Aluminium complexes derived from tridentate thioetherbis(phenolate) ligands and their activity in Diels–Alder catalysis, N. Tiempos-Flores, A. J. Metta-Magaña, V. Montiel-Palma, S. A. Cortés-Llamas, M. Á. Muñoz-Hernández, *Dalton Trans.*, 39, 4312-4320, **2010**, DOI: 10.1039/B922657E.
32. Self-consistent calculation of transport properties in Si δ -doped GaAs quantum wells as a function of the temperature, L.M. Gaggero-Sager, G.G. Naumis, M.A. Muñoz-Hernandez, V. Montiel-Palma, *Physica B: Condensed Matter*, 405, 4267-4270, **2010**, DOI: 10.1016/j.physb.2010.07.022.
33. Crystal and Molecular Structures of Di-1- Adamantylthiophosphinic Chloride, P,P-Diphenyl-N-Benzyl Phosphinothioic- and Selenoic- Amides, F. Rascón-Cruz, S. González-Gallardo, M. A. Muñoz-Hernández, R. A. Toscano, V. García-Montalvo, *J. Chem. Crystallogr.*, 39, 530-534, **2009**, DOI: 10.1007/s10870-009-9524-1.
34. Selective hydrogenation of the CO bond of ketones using Ni(0) complexes with a chelating bisphosphine, A. Flores-Gaspar, P. Pinedo-González, M. G. Crestani, M. A. Muñoz-Hernández, D. Morales-Morales, B. A. Warsop, W. D. Jones, J. J. García, *J. Mol. Cat. A: Chemical*, 309, 1–11, **2009**, DOI: 10.1016/j.molcata.2009.05.026.
35. Polypyrazolates of the heavier group 13 and 14 elements: A review, M.-Á. Muñoz-Hernández, V. Montiel-Palma, *Inorg. Chim. Acta*, 362, 4328-4339, **2009** DOI: 10.1016/j.ica.2009.06.051.
36. Potassium and lithium pyrazolates: the interplay of electronic and steric factors on the hapticity of the pyrazolate ligand and the influence of Lewis bases on nuclearity, M. Á. Velázquez-Carmona, A. J. Metta-Magaña, S. A. Cortés-Llamas, V. Montiel-Palma, M. Á. Muñoz-Hernández, *Polyhedron*, 28, 205-208, **2009**, DOI: 10.1016/j.poly.2008.10.041.

37. Synthesis, characterization and structural studies of dithiocarbamate derivatives of 2,2,6,6-tetramethyl-1-oxa-4,4-diiodo-4-tellura-2,6-disilacyclohexane, $O[Si(CH_3)_2CH_2]_2Te(dtc)$, D. Fuentes-Alemán, R. A. Toscano, M. Á. Muñoz-Hernández, M. López-Cardoso, P. García y García, R. Cea-Olivares, *J. Organomet. Chem.* 693, 3166–3170, **2008**, DOI: 10.1016/j.jorganchem.2008.07.007.
38. Solvent-Mediated Ion Exchange and Structural Transformations of Cluster-Based Coordination Polymers, J. J. Zhang, Y. Zhao, S. A. Gamboa, M. Á. Muñoz-Hernández, A. Lachgar, *Eur. J. Inorg. Chem.*, 2982–2990, **2008** DOI: 10.1002/ejic.200800108.
39. Synthesis and conformational study in solution and solid state of 1,3-dioxa-6-aza-2-(*O*-trimethylsilyl ester)- and 1,3-dioxa-6-aza-2(hydroxy)- σ 4 λ 4phosphacyclooctanes, C. Valerio-Cárdenas, V. Montiel-Palma, M. Á. Muñoz-Hernández, J. M. Grévy, *Arkivoc*, 153-162, **2008**.
40. Sodium Polypyrazolylaluminates: Synthesis, Characterization and Isolation of a Reaction Intermediate of a Tris-pyrazolylaluminate, S. A. Cortes-Llamas, M. Á. Muñoz-Hernández, *Organometallics*, 26, 6844-6851, **2007** DOI: 10.1021/om700828b.
41. Catalytic Isomerization of 2-Methyl-3-butenenitrile by Nickel Systems Using Bis-diphosphinoferrocene Ligands: Evidence for Hemilability, A. Acosta-Ramírez, M. Á. Muñoz-Hernández, W. D. Jones, J. J. García, *Organometallics*, 26, 5766-5769, **2007** DOI: 10.1021/om700928y.
42. Inorganic Crystal Engineering through Cation Metathesis: One-, Two-, and Three-Dimensional Cluster-Based Coordination Polymers, H. Zhou, K. C. Strates, M. Á. Muñoz-Hernández, K. J. Little, D. M. Pajeroski, M. W. Meisel, D. R. Talham, A. Lachgar, *Chem. Mater.*, 19, 2238-2246, **2007**, DOI: 10.1021/cm063005p.
43. Agostic Si–H bond coordination assists C–H bond activation at ruthenium in bis(phosphinobenzylsilane) complexes, V. Montiel-Palma, M. Á. Muñoz-Hernández, T. Ayed, J. C. Barthelat, M. Grellier, L. Vendier, S. Sabo-Etienne, *Chem. Commun.*, 3963–3965, **2007**, DOI: 10.1039/B709408F.
44. Fluoro aromatic imine nickel(0) complexes: Synthesis and structural studies, A. L. Iglesias, M. Á. Muñoz-Hernández, J. J. García, *J. Organomet. Chem.*, 692, 3498-3507, **2007**, DOI: 10.1016/j.jorganchem.2007.04.026.
45. Nickel Complexes Involved in the Isomerization of 2-Methyl-3-butenenitrile, A. Acosta-Ramírez, A. Flores-Gaspar, M. Á. Muñoz-Hernández, W. D. Jones, J. J. García, *Organometallics*, 26, 1712-1720, **2007**, DOI: 10.1021/om061037g.
46. Organogallium Complexes Incorporating Tridentate Thioetherbiphenolate Ligands 2,2'-thiobis(2,4-di-ter-butylphenolate), Sdiol and 2,2'-thiobis(2,4-dimethylphenolate), Smdiol, P. de la Cruz-Burelo, V. Montiel-Palma, M.-Á. Muñoz-Hernández, *Main Group Chem.*, 5, 61-77, **2006**; DOI: 10.1080/10241220600903514.
47. 3,5-dimethyl and 3,5-di-tert-butylpyrazolato Complexes with Alkali Metals: Monomeric, Dimeric, Cluster and 1D Chain Structures, S. A. Cortés-Llamas, R. Hernández-Lamonedá, M. Á. Velázquez-Carmona, M. Á. Muñoz-Hernández, R. A. Toscano, *Inorg. Chem.*, 45, 286-294, **2006**, DOI: 10.1021/ic051294y.
48. Indazolato Derivatives of B, Al and Ga: Characterization and Solvent-Dependent Regioisomeric Structures Through π - π Interactions in Solid State, S. A. Cortes-Llamas, J. M. Hernández-Pérez; M. Hô, M.-Á. Muñoz-Hernández, *Organometallics*, 25, 588-595, **2006**, DOI: 10.1021/om0506421.
49. Isomerization of 2-methyl-3-butenenitrile with (bis-diphenylphosphinoferrocene)nickel compounds: Catalytic and structural studies, A. Acosta-Ramírez, M. Á. Muñoz-Hernández, W.

- D. Jones, J. J. Garcia, *J. Organomet. Chem.*, 691, 3895-3901, **2006**, DOI: 10.1016/j.jorganchem.2006.05.042.
50. σ -Borane Coordinated to Nickel(0) and Some Related Nickel(II) Trihydride Complexes, M. G. Crestani, M. Á. Muñoz-Hernández, A. Arévalo, A. Acosta-Ramírez, J. J. García, *J. Am. Chem. Soc.*, 127, 18066-18073, **2005**, DOI: 10.1021/ja056000m.
51. Titanium Complexes Supported by a Sterically Encumbering *N*-anchored tris-aryl Phenoxide Ligand, S. A. Cortés, M. Á. Muñoz-Hernández, I. Castro-Rodríguez, K. Meyer, H. C. Huffman, D. J. Mindiola, *Inorg. Chem. Commun.*, 8, 903-907, **2005**, DOI: 10.1016/j.inoche.2005.06.028.
52. Isolation and Authentication of a Sodium Bispyrazolylaluminum, S. A. Cortés-Llamas, M. Á. Velázquez, M. Á. Muñoz-Hernández, *Inorganic Chemistry Communications*, 8, 155-158, **2005** DOI: 10.1016/j.inoche.2004.11.028.
53. Dichloro and Alkylchloro Gallium Derivatives of Dichalcogenoimidodiphosphinate Ligands: Isolation of a Spirogallium Cation, M.-Á. Muñoz-Hernández, V. Montiel-Palma, E. Huitrón-Rattinger, S. Cortés-Llamas, N. Tiempos-Flores, J. M. Grevy, C. Silvestru, P. Power, *Dalton Transactions*, 193-199, **2005** DOI: 10.1039/B412874E.
54. Cationic-Iridium complexes with chiral dithioether ligands: synthesis, characterization and reactivity under catalytic hydrogenation conditions, L. Flores-Santos, E. Martín-Arrieta, A. Aghmiz, M. Diéguez, C. Claver, A. Masdeu-Bultó, M. A. Muñoz-Hernández, *Eur. J. Inorg. Chem.*, 2315-2323, **2005** DOI: 10.1002/ejic.200400828.
55. Synthesis of New 1,3-Oxaphosphorinanium Salts. Stereochemistry of Hydroxide-Induced Displacement of Methoxide Ion, S. López-Cortina, D. I. Basiulis, K. L. Marsi, M. A. Muñoz-Hernández, M. Ordoñez, M. Fernández-Zertuche, *J. Org. Chem.*, 70, 7473-7478, **2005** DOI: 10.1021/jo050901w.
56. Synthesis, Spectroscopic Characterization, of O, O-alkylene Dithiophosphates of Tellurolane and 1-oxa-4-tellurane. Single Crystal Structures of $C_4H_8Te[S_2P(OCH_2)_2CMe^iPr]_2$ and $C_4H_8OTe[S_2P(OCH_2)_2CEt_2]_2$, A. M. Coteró-Villegas, R. A. Toscano, M. A. Muñoz-Hernández, M. López-Cardoso, P. García y García, R. Cea-Olivares, *J. Organomet. Chem.*, 690, 2872-2879, **2005** DOI: 10.1016/j.jorganchem.2005.01.058.
57. Preparation of phosphostatine and phosphoepistatine from L-leucine via high diastereoselective reduction of 3-amino-2-ketophosphonates, R. De la Cruz-Cordero, E. Hernandez-Nunez, M. Fernandez-Zertuche, M. Á. Muñoz-Hernández, M. Ordoñez, *ARKIVOC*, 277-286, **2005(6)**.
58. Diastereoselective reduction of dimethyl γ -[(*N*-*p*-toluenesulfonyl)amino]- β -ketophosphonates derived from amino acids, M. Ordoñez, R. de la Cruz-Cordero, M. Fernández-Zertuche, M. A. Muñoz-Hernández, O. García-Barradas, *Tetrahedron: Asymm.*, 15, 3035-3043, **2004** DOI: 10.1016/j.tetasy.2004.08.012.
59. Towards Cationic Gallium Derivatives: Metallacycles from the Reactions of Gallium Organyls with Tetraorganodichalcogenoimidodiphosphinates and a New *N*-(Diphenylthiophosphinyl)thioureato Ligand, V. Montiel-Palma, E. Huitrón-Rattinger, S. Cortés-Llamas, M. Á. Muñoz-Hernández, V. García-Montalvo, E. López-Honorato, C. Silvestru, *Eur. J. Inorg. Chem.*, 3743-3750, **2004**, DOI: 10.1002/ejic.200400087.
60. Inorganic rings with gallium organyls and iminodiphosphinecalchogenides, S. Cortés Llamas, C. Silvestru, M. A. Muñoz-Hernández, *Phosphorus Sulfur and Silicon and the Related Elements*, 179, 941-945, **2004**, DOI: 10.1080/10426500490428960.
61. Synthesis of (η^6 -arene)tricarbonylmethyl and (σ -nitrogen)pentacarbonylmethyl complexes of (1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, C. López, M. Á. Muñoz-Hernández, D. Morales-Morales, F. del Río, S. Hernández-

- Ortega, R. A. Toscano, J. J. García, *J. Organomet. Chem.*, 672, 58-65, **2003**, DOI: 10.1016/S0022-328X(03)00140-2.
62. Six-Coordinate Aluminum Cations: Characterization, Catalysis, and Theory, M. A. Muñoz-Hernández, M. L. McKee, T. S. Keizer, B. Yearwood, D. A. Atwood, *J. Chem. Soc., Dalton Trans.*, 410-414, **2002**, DOI: 10.1039/B106003C.
63. Diastereoselective Reduction of β -ketophosphonates Derived from Amino Acids. A New Entry to Enantiopure β -hydroxy- γ -aminophosphonate Derivatives, M. Ordoñez, R. de la Cruz, M. Fernández-Zertuche, M. Á. Muñoz-Hernández, *Tetrahedron: Asymm.*, 13, 559-562, **2002**, DOI:10.1016/S0957-4166(02)00159-3.
64. Oxidative Insertion into the N-H Bond of Carbazole, Indole and Pyrrole with Zerovalent Metals, C. López, G. Barón, A. Arévalo, M. Á. Muñoz-Hernández, J. J. García, *J. Organomet. Chem.* 664, 170-175, **2002**, DOI: 10.1016/S0022-328X(02)01979-4.
65. NMR and X-ray crystallographic studies of axial and equatorial 2-ethoxy-2-oxo-1,4,2-oxazaphosphinane, I. Linzaga, J. Escalante, M. Á. Muñoz-Hernández, E. Juaristi, *Tetrahedron* 58, 8973-8978, **2002**, DOI: 10.1016/S0040-4020(02)01152-3.
66. Reactivity and Derivatization of Five-Coordinate, Chelated Aluminum, M. Á. Muñoz-Hernández, T. S. Keizer, P. Wei, S. Parkin, D. A. Atwood, *Inorg. Chem.*, 40, 6782-6787, **2001**, DOI: 10.1021/ic010759r.
67. Chelated Aluminum Alkoxides, M. Á. Muñoz-Hernández, T. S. Keizer, S. Parkin, Y. Zhang, D. A. Atwood, *J. Chem. Crystallogr.*, 30, 219-222, **2000**, DOI: 10.1023/A:1009530803852.
68. Chiral five- and six- Coordinate Aluminum, M. Á. Muñoz-Hernández, S. Parkin, B. Yearwood, P. Wei, D. A. Atwood, *J. Chem. Crystallogr.*, 30, 215-218, **2000**, DOI: 10.1023/A:1009547519781.
69. Tetrametallic Group 13 "Mitsubishi" Molecules, M. Á. Muñoz-Hernández, P. Wei, S. Liu, D. A. Atwood, *Coord. Chem. Rev.*, 210, 1-10, **2000**, DOI: 10.1016/S0010-8545(00)00314-3.
70. Unusual dicationic trimetallic aluminum chelates, S. Liu, M. Á. Muñoz-Hernández, P. Wei, D. A. Atwood, *J. Molec. Struct.*, 550-551, 467-472, **2000**, DOI: 10.1016/S0022-2860(00)00506-8.
71. Bimetallic and Cationic Aluminum with N_3O_2 chelate ligands, S. Liu, M. Á. Muñoz-Hernández, D. A. Atwood, *J. Organomet. Chem.*, 596, 109-114, **2000**, DOI: 10.1016/S0022-328X(99)00575-6.
72. Group 13 Cation Formation with Potentially Tridentate Ligands, M. Á. Muñoz-Hernández, T. S. Keizer, S. Parkin, B. Patrick, D. A. Atwood, *Organometallics*, 19, 4416-4421, **2000** DOI:10.1021/om000058m.
73. Bimetallic Aluminum and Gallium Chelates with N_2O_2 Ligands, M. A. Van Aelstyn, T. S. Keizer, D. L. Klopotek, S. Liu, M. Á. Muñoz-Hernández, P. Wei, D. A. Atwood, *Organometallics*, 19, 1796-1801, **2000**, DOI: 10.1021/om990829q.
74. Five-coordinate, Solvent-Free Aluminum Cations, M. Á. Muñoz-Hernández, B. Sannigrahi, D. A. Atwood, *J. Am. Chem. Soc.*, 121, 6747-6748, **1999**, DOI: 10.1021/ja990376g.
75. Six-coordinate Aluminum Cations: Synthesis, Characterization and Catalysis, J. A. Jegier, M. Á. Muñoz-Hernández, B. Sannigrahi, D. A. Atwood, *J. Chem. Soc., Dalton Trans.*, 2583-2588, **1999**, DOI: 10.1039/A902740H.
76. Examination of Dibenzyl Aluminum and Gallium Azides as Potential Precursors to AlN and GaN, M. Á. Muñoz-Hernández, D. Rutherford, H. Tianen, D. A. Atwood, *J. Organomet. Chem.*, 582, 103-107, **1999**, DOI: 10.1016/S0022-328X(98)01192-9.
77. Inorganic Rings with Group 13 Organometallics and Iminodiphosphinechalcogenides, M. Á. Muñoz-Hernández, A. Singer, D. A. Atwood, R. Cea-Olivares, *J. Organomet. Chem.*, 571, 15-19, **1998**, DOI: 10.1016/S0022-328X(98)00847-X.

78. Synthesis and Reactions of Tetrazole-Group 13 Complexes, M. Á. Muñoz-Hernández, M. S. Hill, D. A. Atwood, *Polyhedron*, 17, 2237-2242, **1998**, DOI: 10.1016/S0277-5387(98)00057-6.
79. New Precursors to Group 13 Nitrides, M. S. Hill, J. Jeiger, M. Á. Muñoz-Hernández, D. Rhutherford, A. Singer, D. A. Atwood, *Phosphorous, Sulfur Silicon Relat. Elem.*, 124, 183-192, **1997**, DOI: 10.1080/10426509708545623.
80. Conformational Trends and Intermolecular Associations in Dialkyldithiophosphinate Stibocanes $X(\text{CH}_2\text{CH}_2\text{S})_2\text{SbS}_2\text{PR}_2$ ($X = \text{O}, \text{S}; \text{R} = \text{Me}, \text{Et}$), M. Á. Muñoz-Hernández, R. Cea-Olivares, R. Alfredo-Toscano, S. Hernández-Ortega, *Z. Anorg. Allg. Chem.*, 623, 642-648, **1997**, DOI: 10.1002/zaac.199762301102.
81. The Conformational Relationships in Group 14 and 15 Oxadithia- and Trithia-Metallocanes, R. Cea Olivares, V. García-Montalvo, M. Á. Muñoz-Hernández, O. Jiménez-Sandoval, P. García y García, M. López-Cardoso, *Main Group Chem. News*, 4, 20-27, **1996**.
82. Conformational Trends in Arsocane Dithiophosphinates $X(\text{CH}_2\text{CH}_2\text{S})_2\text{AsS}_2\text{PR}_2$ ($X = \text{O}$ or $\text{S}; \text{R} = \text{Me}, \text{Et}$ or Ph), M. Á. Muñoz-Hernández, R. Cea-Olivares, G. Espinoza-Pérez, S. Hernández-Ortega, *J. Chem. Soc., Dalton Trans.*, 4135-4141, **1996**, DOI: 10.1039/DT9960004135.
83. The Relationship between Transannular Secondary Bonding Strength and Conformation in Diphenyldithiophosphinate Stibocanes $X(\text{CH}_2\text{CH}_2\text{S})_2\text{SbS}_2\text{PPh}_2$ ($X = \text{O}, \text{S}$), M. Á. Muñoz-Hernández, R. Cea-Olivares, S. Hernández-Ortega, *Z. Anorg. Allg. Chem.*, 622, 1392-1398, **1996**, DOI: 10.1002/zaac.19966220819.
84. Synthesis and Characterization of Oxa and Thia Metallocanes Substituted with Phosphorodithioate Ligands and Crystal and Molecular Structure of 1, 3, 6-trithia-2-Arsocane Dimethylphosphorodithioate, M. Á. Muñoz-Hernández, R. Cea-Olivares, S. Hernández Ortega, *Inorg. Chim. Acta*, 253, 31-37, **1996**, DOI: 10.1016/S0020-1693(96)05106-7.
85. On the 5-thia-(substituted)-1-oxa-4,6-dithia-5-stibocanes. Synthesis and characterization of $\text{O}(\text{CH}_2\text{CH}_2\text{S})_2\text{SbS}_2\text{P}(\text{OC}_2\text{H}_5)_2$ and Crystal and Molecular Structure of $\text{O}(\text{CH}_2\text{CH}_2\text{S})_2\text{Sb-SCH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{S-Sb}(\text{SCH}_2\text{CH}_2)_2\text{O}$, A Compound with two Different Eight-Membered Ring Conformations, R. Cea-Olivares, M. Á. Muñoz-Hernández, S. Hernández-Ortega, C. Silvestru, *Inorg. Chim. Acta*, 236, 31-36, **1995**, DOI: 10.1016/0020-1693(95)04602-6.
86. Potassium Tetraphenylimidodiphosphinate Complex of 1,4,7,10,13,16-Hexaoxacyclooctadecane. An Inorganic (Carbon-Free) Chelate Ring, R. Cea-Olivares, M. Á. Muñoz-Hernández, *Monats. Chem.*, 124, 471-476, **1993**, DOI: 10.1007/BF00819515.